CONTENTS

Fast Fourier transform as universal tool for processing Auger electron spectroscopy data 1
B. Jungblut (Berlin, F.R.G.) and G. Sicking (Essen, F.R.G.)

Oxynitruration du titane sous basses pressions d'air sec a hautes temperatures. 19
A Guillou and J. Debuigne (Rennes, France)

Superconductivity by quantum size effect
II. Ground state properties of a wire with mesoscopic subdivisions 31
D. Wohlleben (Los Alamos, NM, U.S.A.)

Superconductivity by quantum size effect
III. The role of contacts and defect scattering 55
D. Wohlleben (Los Alamos, NM, U.S.A.)

Zur Kristallchemie von $Mn_3ZnNb_2O_9$ und $MnZn_2Nb_2O_8$ 75
U. Rohweder and Hk. Müller-Buschbaum (Kiel, B.R.D.)

Zur Kristallstruktur von Cu_2WO_4 85
H.-C. Mumm and Hk. Müller-Buschbaum (Kiel, B.R.D.)

Static magnetic and EPR studies of iron in the β-rhombohedral boron structure . . . 91
G. P. Tsiskarisvili, T. Lundström, L. Lundgren (Uppsala, Sweden), G. V. Tsagareishvili, O. A. Tsagareishvili and F. N. Tavadze (Tbilisi, U.S.S.R.)

Structural investigations and microhardness of metal oxide layer grown by CO_2 laser light 105
L. Nánai, R. Vajtai and I. Hevesi (Szeged, Hungary)

Ternary intermetallic phases with Heusler-phase-type structure in the system Ag–Mg–RE (RE ≡ La, Ce, Pr, Nd, Sm). 109
G. Berger and A. Weiss (Darmstadt, F.R.G.)

A single-crystal and synchrotron powder X-ray refinement of the structure of $SrNb_8O_{14}$, a new oxoniobate containing Nb_6 octahedra. 123
J. Köhler, A. Simon (Stuttgart, F.R.G.), S. J. Hibble and A. K. Cheetham (Oxford, U.K.)

Phase diagram of the Ga–As–Sb system 135
K. Ishida, T. Shumiya, T. Nomura, H. Ohtani and T. Nishizawa (Sendai, Japan)

Hydrogen absorption by M_5X_3 phase Zr–Al compounds 145
N. J. Clark and E. Wu (Bedford Park, Australia)

Preparation and properties of the system $Cr_{2-x}Rh_xO_3 (2 \geq x \geq 0)$ 155
Y. C. Zhang, R. Kershaw, K. Dwight and A. Wold (Providence, RI, U.S.A.)

Stabilization of α-Mn structures in new ternary χ phases 163
R. M. Waterstrat (Gaithersburg, MD, U.S.A.) and R. Kuentzler (Strasbourg, France)

Crystal structures of orthorhombic $Y_3Os_4Si_{12}$ and monoclinic $Y_5Os_4Si_{14}$ and $Y_9Os_4Si_{20}$. 169
M. Gueramian, B. Chabot, K. Yvon, L. Schellenberg (Geneva, Switzerland) and H. F. Braun (Bayreuth, F. R. G.)

α-γ transformation in a $Ce_{0.9}Th_{0.1}$ alloy 177
A. C. Lawson, A. Williams and M. S. Wire (Los Alamos, NM, U.S.A.)

Effects of hydrogen absorption on the 3d and 4f anisotropies in $RE_2Fe_{14}B$ (RE ≡ Y, Nd, Ho, Tm). 187
L. Pareti, O. Moze (Parma, Italy), D. Fruchart (Grenoble, France), Ph. L'Heritier (Saint Martin d'Heres, France) and A. Yaouanc (Grenoble, France)

Spin reorientation in $Nd_2Fe_{14}C$ 195
C. J. M. Denissen, D. B. De Mooij and K. H. J. Buschow (Eindhoven, The Netherlands)

A new structure in the La–Li–Fe–O system 203
F. Abbattista, D. Mazza, M. Vallino (Torino, Italy) and M. Gazzano (Bologna, Italy)

The equilibrium decomposition of Au–Pt solid solutions. 213
Yu. I. Vesnin and Yu. V. Shubin (Novosibirsk, U.S.S.R.)

Magnetism of europium clusters in the intermetallic compounds $Eu_xSr_{1-x}Mg_{5.2}$ and $(Eu_xSr_{1-x})_3Mg_{13}$ 221
H. Lueken, T. Brauers, J. Erassme, M. Deussen (Aachen, F.R.G.), H. v. Löhneysen, A. Schröder, J. Woznitza (Karlsruhe, F.R.G.) and C. Sauer (Jülich, F.R.G.)

Influence of a weak magnetic field on the high temperature magnetic susceptibility of $Y(Fe_{0.7}Al_{0.3})_2$ alloy 237
B. Fugiel and A. Kasprzyk (Katowice, Poland)

Komplexe Platinhydride A_2PtH_4 mit A ≡ Na, K, Rb oder Cs 243
W. Bronger, G. Auffermann and P. Müller (Aachen, F.R.G.)

Intrinsic degradation of FeTi by thermally induced hydrogen absorption–desorption cycling 253
H. J. Ahn (Seoul, Korea), S. M. Lee and J.-Y. Lee (Kwang Won Do, Korea)

Untersuchungen an $Zn_{1-x}M_xTa_2O_6$ (M ≡ Mg und Ni) mit einer Verfeinerung der Kristallstruktur von $MgTa_2O_6$. 263
G. Halle and Hk. Müller-Buschbaum (Kiel, B.R.D.)

Etude thermodynamique de la solubilite et de la diffusion du soufre dans le palladium. 269
N. Barbouth, Y. Berthier and M. Assefi (Paris, France)

Stored energy resulting from the formation and decomposition of the hydride phase in the intermetallic compound: $LaNi_5$. 281
W. Luo and T. B. Flanagan (Burlington, VT, U.S.A.)

The crystal structure of Ca_2Cu_2Ga, CaCuGa, $SrCu_2Ga$ and $BaCu_2Ga$. 289
M. L. Fornasini and F. Merlo (Genoa, Italy)

Effect of hydrogen on the Curie temperature of $Nd_2(Fe_{15}M_2)$; M ≡ Al, Si, Co 295
B.-P. Hu and J. M. D. Coey (Dublin, Ireland)

^{1}H-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leq x \leq 1$, $0 < y \leq 0.9$: Magnetic susceptibility and Knight shift 301
K-H. Richter and A. Weiss (Darmstadt, F.R.G.)

The equilibrium diagram of the Th–Ni system. 311
A. Palenzona and S. Cirafici (Genoa, Italy)

Calorimetric investigations of Ce–Mg liquid alloys 319
K. Nagarajan and F. Sommer (Stuttgart, F.R.G.)

Twin-chamber Knudsen effusion cell source mass spectrometry: Vaporization of palladium. 329
M. S. Chandrasekharaiah, M. J. Stickney and K. A. Gingerich (College Station, TX, U.S.A.)

Synthesis, spectral analyses and X-ray diffraction studies of 1:1 (Sc, In)$(OH)_3$ 341
D. F. Mullica, E. L. Sappenfield and D. R. Gable (Waco, TX, U.S.A.)

Formation and magnetic properties of the compounds $R_2Fe_{14}C$. 349
D. B. De Mooij and K. H. J. Buschow (Eindhoven, The Netherlands)

Notiz uber Synthese und Kristallstruktur von $BaPtEu_2O_5$ und $BaNiEu_2O_5$ L1
Hk. Müller-Buschbaum and Ch. Lang (Kiel, F.R.G.)

Mittlere Oxidationsstufe des Kupfers im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$ L5
W. Schäfer, J. Maier-Rosenkranz, S. Lösch, R. Kiemel, W. Wischert, S. Kemmler-Sack (Tübingen, B.R.D.), H. Kneissel and B. Elschner (Darmstadt, B.R.D.)

Magnetic properties and ^{57}Fe Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$ L13
K. H. J. Buschow, D. B. De Mooij and C. J. M. Denissen (Eindhoven, The Netherlands)

Compression of the hexagonal Laves phase UNi_2 to 41 GPa L19
S. Dabos (Karlsruhe, F.R.G.), J. Staun Olsen (Copenhagen, Denmark), L. Gerward (Lyngby, Denmark), U. Benedict and J. C. Spirlet (Karlsruhe, F.R.G.)

Compression of the heavy-fermion compound URu_2Si_2 to 50 GPa L23
H. Luo, S. Dabos, U. Benedict and J. C. Spirlet (Karlsruhe, F.R.G.)

Structure refinement and chromium solubility for Zr_2S L27
X. Yao and H. F. Franzen (Ames, IA, U.S.A.)

On some lanthanide and pseudolanthanide magnesium alloys. L31
G. Zanicchi, V. Contardi, R. Marazza, D. Mazzone and R. Ferro (Genoa, Italy)

Author Index 359

Subject Index 361